

klin system
FLOOR SOLUTION TECHNOLOGY

MARBLE

Polishing System

www.klinsystem.com

Standard Process;

1) Start grinding with Metal bond diamond tools **KSM1 Grit 60** and continue until the floor is perfectly levelled. If the floor is very unlevelled or has big lippages, we suggest to start grinding with **KSM0 Grit 36.**
2) Proceed with Metal tool **KSM2 Grit 120** to eliminate the scratch created with the KSM1.
3) Continue with Resin bond diamond tool **Jumpflex Marble 3** or **M-KS3 Grit 6** (for abrasive marble we suggest to use **Pavelux Marble 3 and 4** pag. 60).
4) Proceed with Resin tool **Jumpflex Marble 4** or **M-KS4 Grit 120**.
5) Continue with Resin tool **Jumpflex Marble 5** or **M-KS5 Grit 220, Jumpflex Marble 6** or **M-KS6 Grit 400** and **Jumpflex Marble 7** or **M-KS7 Grit 800.** Usually after step with Resin tool Grit 800, you can polishing the floor using the **POLISHING POWDER** in according to the kind of marble (pag. 60). For hard stones and colored marbles, continue the process with **Jumpflex Marble 8** or **M-KS8 Grit 1800** and **Jumpflex Marble 9** or **M-KS9 Grit 3500**.
6) Polishing the floor with the most specific **POLISHING POWDER** in according to the kind of marble (pag. 60).
7) Final step, wash the floor with water and **KLINSOAP** to protect the surface and to improve the gloss.

WAX AND MASTIC FOR MARBLE *Best quality mastic for repairing marble and natural stone floors*



WAXDUR CREAM
Specific water-based WAX for polishing marble, granite and natural stone. It polishes and water-proofing the floors. Gives an excellent polish effect with a good water and oil repellency.

Waxdur cream Kg 1



MASTIC SOLID
Solid polyester mastic for marble and granite for general repairing, grouting and for vertical application. Available in colours: Straw, white, black, green, red.

Mastic solid BOX 12x1 Kg



MASTIC LIQUID
Liquid polyester mastic for marble and granite for general repairing, grouting and for vertical application. Available in colours: Straw, white, black, green, red.

Mastic liquid BOX 12x1 Kg



MASTIC TRANSPARENT Solid / Liquid
Transparent high quality polyester mastic. Perfect for travertine. Ideal for consolidating stone or repairing fine cracks or fractures. Faster curing time suitable for wide cracks.

Mastic transparent Solid - BOX 12x1 Kg **Mastic transparent Liquid - BOX 12x1 Kg**



EPOXY RESIN COMPONENT A + B
Epoxy resin 2 components (Resin and Hardener 50/50), ideal for consolidating stone or REPAIRING fine cracks or fractures. Faster curing time and more suitable for wide cracks. It can be coloured to match any stone.

Epoxy resin Component A - Kg 1 **Epoxy resin Component B - Kg 1**

KS M METAL BOND DIAMOND TOOLS Suitable for marble and natural stone

DESCRIPTION					
	**KS M0**	GRIT 36	Ø 240mm - 9,5″	**12 segments**	Quick Change
	KS M1	GRIT 60	Ø 240mm - 9,5″	**12 segments**	Quick Change
	KS M2	GRIT 120	Ø 240mm - 9,5″	**12 segments**	Quick Change
	* KSM Ø 240mm available also 16 segments				
	**KS M0**	GRIT 36	Ø 200mm - 8″	**7 segments**	Quick Change
	KS M1	GRIT 60	Ø 200mm - 8″	**7 segments**	Quick Change
	KS M2	GRIT 120	Ø 200mm - 8″	**7 segments**	Quick Change
	**KS M0**	GRIT 36	Ø 140mm - 5,5″	**6 segments**	Plastic Support
	KS M1	GRIT 60	Ø 140mm - 5,5″	**6 segments**	Plastic Support
	KS M2	GRIT 120	Ø 140mm - 5,5″	**6 segments**	Plastic Support
	**KS M0**	GRIT 36	Ø 100mm - 4″	**6 segments**	Plastic Support
	KS M1	GRIT 60	Ø 100mm - 4″	**6 segments**	Plastic Support
	KS M2	GRIT 120	Ø 100mm - 4″	**6 segments**	Plastic Support

RESIN BOND DIAMOND TOOLS Suitable for marble and natural stone

DESCRIPTION				
	**JUMPFLEX MARBLE 3**	GRIT 60	Ø 75mm – 3″	Velcro connection
	JUMPFLEX MARBLE 4	GRIT 120	Ø 75mm – 3″	Velcro connection
	JUMPFLEX MARBLE 5	GRIT 220	Ø 75mm – 3″	Velcro connection
	JUMPFLEX MARBLE 6	GRIT 400	Ø 75mm – 3″	Velcro connection
	JUMPFLEX MARBLE 7	GRIT 800	Ø 75mm – 3″	Velcro connection
	JUMPFLEX MARBLE 8	GRIT 1800	Ø 75mm – 3″	Velcro connection
	**JUMPFLEX MARBLE 3**	GRIT 60	Ø 100mm – 4″	Velcro connection
	JUMPFLEX MARBLE 4	GRIT 120	Ø 100mm – 4″	Velcro connection
	JUMPFLEX MARBLE 5	GRIT 220	Ø 100mm – 4″	Velcro connection
	JUMPFLEX MARBLE 6	GRIT 400	Ø 100mm – 4″	Velcro connection
	JUMPFLEX MARBLE 7	GRIT 800	Ø 100mm – 4″	Velcro connection
	JUMPFLEX MARBLE 8	GRIT 1800	Ø 100mm – 4″	Velcro connection
	**M-KS 3**	GRIT 60	Ø 100mm – 4″	Plastic support connection
	M-KS 4	GRIT 120	Ø 100mm – 4″	Plastic support connection
	M-KS 5	GRIT 220	Ø 100mm – 4″	Plastic support connection
	M-KS 6	GRIT 400	Ø 100mm – 4″	Plastic support connection
	M-KS 7	GRIT 800	Ø 100mm – 4″	Plastic support connection
	M-KS 8	GRIT 1800	Ø 100mm – 4″	Plastic support connection
	**M-KS 3**	GRIT 60	Ø 140mm - 5,5″	Velcro connection
	M-KS 4	GRIT 120	Ø 140mm - 5,5″	Velcro connection
	M-KS 5	GRIT 220	Ø 140mm - 5,5″	Velcro connection
	M-KS 6	GRIT 400	Ø 140mm - 5,5″	Velcro connection
	M-KS 7	GRIT 800	Ø 140mm - 5,5″	Velcro connection
	M-KS 8	GRIT 1800	Ø 140mm - 5,5″	Velcro connection
	**COUGARFLEX MARBLE 3**	GRIT 60	Ø 150mm – 6″	Velcro connection
	COUGARFLEX MARBLE 4	GRIT 120	Ø 150mm – 6″	Velcro connection
	COUGARFLEX MARBLE 5	GRIT 220	Ø 150mm – 6″	Velcro connection
	COUGARFLEX MARBLE 6	GRIT 400	Ø 150mm – 6″	Velcro connection
	COUGARFLEX MARBLE 7	GRIT 800	Ø 150mm – 6″	Velcro connection
	COUGARFLEX MARBLE 8	GRIT 1800	Ø 150mm – 6″	Velcro connection

COUGARFLEX MARBLE: Available also 100mm - 4″ / 125mm - 5″ / 140mm - 5,5″

PRODUCTS AND CHEMICALS FOR MARBLE AND NATURAL STONE



SHINE GREEN
Polishing cream for marbles, artificial marbles and agglomerates. SHINE GREEN increases wear resistance, powerful protection against dust, acid/alkalin, washing, scratches and stain, and excellent self-cleaning properties. Thanks to the thermal force of the crystallization, SHINE GREEN penetrate into the molecular gaps of the floor and then solidify into high-strength, rigid transparent protective layer and form a crystal shield on the surface of the stone.

Shine Green Kg 1



KLINSOAP
Shining soap for marble and natural stone. Improves and protects the surface, high quality combination cleaner that simultaneously forms a water insoluble and dirt repellent barrier.
Dilute by 0.5 liters every 10 liters of water for daily cleaning, and increase to 1-2 liters per 10 liters for added sealing impregnation effect. Good as final cleaning after polishing procedure of stone, concrete, terrazzo, timber and even vinyl flooring.

Klinsoap Box 4x5 Lt



KRISTAL & LUX
Crystallizing liquid specially formulated for vitrifying surfaces of marble and terrazzo. It provides water-proofing and hardness for high traffic resistance. No-slippery, high and long lasting protection and not marks footprints. Mirror Shine effect. Can be used for periodical maintenance of floors already crystallized.
Instructions: spray a little quantity of product, spread the product uniformly with a single disc machine fitted with a steel wool pad and work until the product gets completely dry.

Kristal & Lux BOX 3x5 Lt



KS IDROPROOF
Water repellent, waterproofing agent/sealer for both indoor and outdoor applications.
It's ideal for marble, granite and any other natural stone.

KS Idroproof Lt 1



STONE VARNISH
Self-polishing varnish suitable to reach the shine where it is not easy to polish by machine. Gives an excellent polish effect with a good water and oil repellency. It can be used on any natural stones and all marbles.

Stone varnish Lt 1



ANTIQUE EFFECT
Waterproofing, wet satin effect for marble and granite floors.

Antique effect Lt 1



BRILL & LUX Solvent based / Water based
Crystallizing liquid product for the polishing of marble, terrazzo, limestone, travertine and other types of natural stone surfaces. Self-polishing varnish with a "wet look effect" for marble, granite and natural stones.

Brill & Lux Lt 1 (solvent based) **Brill & Lux Lt 1 (water based)**

POLISH POWDER FOR MARBLE *Best quality polishing powders made in Italy*



POLISH POWDER KSMT
High quality polish powder for soft and abrasive marbles like Carrara, limestone, etc. KSMT very good quality Polish Powder, excellent solution for daily cleaning of hard surfaces. Fine abrasive, can be use to remove fungus, soap scum build-up and embedded stains in grouting immediately. Suitable for use in big areas, hotels, shopping mall, on all type of natural stone surfaces.

Polish powder KSMT 5 Kg **Polish powder KSMT 20 Kg**



POLISH POWDER KS92
High quality polish powder for standard marbles and limestone. Excellent solution for daily cleaning of natural surfaces. It is fine abrasive adapt to remove fungus, soap scum buildup and embedded stains in grouting immediately. Suitable for use in big areas, hotels, shopping mall, on all type of natural stone surfaces.

Polish powder KS92 5 Kg **Polish powder KS92 20 Kg**



POLISH POWDER KS85
High quality yellow polish powder for marble and terrazzo polishing after grinding steps. Can be used for daily maintenance of polishing marble, terrazzo, porcelain and glass surfaces. It is fine abrasive adapt to remove fungus, soap scum build-up and embedded stains in grouting immediately. Suitable for use in big areas, hotels, shopping mall, on all type of natural stone surfaces.

Polish powder KS85 5 Kg **Polish powder KS85 20 Kg**



POLISH POWDER KS80
High quality yellow polish powder for marble and terrazzo polishing after grinding steps. Can be used for daily maintenance of polishing marble, terrazzo, porcelain and glass surfaces. It is fine abrasive adapt to remove fungus, soap scum build-up and embedded stains in grouting immediately. Suitable for use in big areas, hotels, shopping mall, on all type of natural stone surfaces.

Polish powder KS80 5 Kg **Polish powder KS80 20 Kg**

PAVELUX *Synthetic tools for removing mastic and grinding abrasive floors where resin tools have not long life*

Pavelux for Marble We suggest to use PAVELUX MARBLE 3 and 4 in place of resin tool Grit 60 and 120



PAVELUX MARBLE 3	GRIT 60	Ø 100mm – 4"	Velcro connection
PAVELUX MARBLE 4	GRIT 120	Ø 100mm – 4"	Velcro connection
PAVELUX MARBLE 5	GRIT 220	Ø 100mm – 4"	Velcro connection
PAVELUX MARBLE 6	GRIT 400	Ø 100mm – 4"	Velcro connection
PAVELUX MARBLE 7	GRIT 800	Ø 100mm – 4"	Velcro connection
PAVELUX MARBLE 8	GRIT 1800	Ø 100mm – 4"	Velcro connection
PAVELUX MARBLE 9	GRIT 3500	Ø 100mm – 4"	Velcro connection

Pavelux for Granite and Gres We suggest to use PAVELUX GRANITE 4 and 5 to close all the micro-porosity of the granite. Continue with resin tools Grit 400.



PAVELUX GRANITE 3	GRIT 60	Ø 100mm – 4"	Velcro connection
PAVELUX GRANITE 4	GRIT 120	Ø 100mm – 4"	Velcro connection
PAVELUX GRANITE 5	GRIT 220	Ø 100mm – 4"	Velcro connection
PAVELUX GRANITE 6	GRIT 400	Ø 100mm – 4"	Velcro connection
PAVELUX GRANITE 7	GRIT 800	Ø 100mm – 4"	Velcro connection
PAVELUX GRANITE 8	GRIT 1800	Ø 100mm – 4"	Velcro connection
PAVELUX GRANITE 9	GRIT 3500	Ø 100mm – 4"	Velcro connection

**Available PAVELUX Ø 100mm – 4" with Plastic Support.*

FLOOR SOLUTION TECHNOLOGY

klin system
FLOOR SOLUTION TECHNOLOGY

FLOOR GRINDERS | INDUSTRIAL VACUUMS | DIAMOND TOOLS

*Equipments and products for any kind of floor_*

Mobile +39 347 4678309
Office +39 085 7880800

www.klinsystem.com

info@klinsystem.com

Via degli Alpini snc
65029 Torre De Passeri
(Pescara) - ITALY