



ELITE
SERIES

L 32 MANUAL 20 HP
Planetary Grinder

ELITE

GRINDER FEATURES




SUPERIOR MANEUVERABILITY AND EASY TOOL CHANGES

The dust-proof planetary drive with low-friction rubber sealer is protected from dust and moisture, which reduces maintenance and increases service life. Also, our three-phase electric grinders have overload protection.



TRANSPORTATION WHEEL

All 32/38-inch grinders come equipped with a heavy-duty, easy to mount 3rd wheel for easy transportation. A transport wheel is available as an optional accessory for 25/30-inch propane machines. We also offer an optional lever kit for all 25/30-inch grinders designed to help lift the machine up.



CHARGING PHONE STATION WITH DUAL USB 2.0 PORTS

3.15 Amps for faster charging with a shutoff when charge is complete. Also, a durable stainless steel cup holder.



UPDATED WATER SYSTEM

The updated water system is optimized for wet grinding - it delivers water under the machine from either the water tank (gravity-fed), or from an external source via hose connection. There is no water pump or misting nozzles.



EASY-TO-USE INTEGRATED WEIGHTS

With the weights down, you increase the grinding head pressure, and you can grind more aggressively.



LED LIGHTS FOR MONITORING THE FLOOR

A detachable LED light (with a magnet) on the base in the front improves visibility, and a second LED light attached in the back of the machine near the floor helps monitor the scratch pattern.



ADJUSTABLE HANDLE BAR

Multiple handle positions for more convenient operation and transportation. Make sure the handle position is locked when moving or using the machine.


L 32 MANUAL 20 HP





PERFORMANCE ABOVE THE REST

ELITE
SERIES



WORKING WIDTH Ø 850mm

L 32 Three heads planetary floor grinding and polishing machine. Fitted with 15 Kw - 20 Hp - 400 V motor. The most performing machine of this segment.

Suitable for grinding and polishing marble, terrazzo, granite and concrete floors. Also ideal for floor preparation, bush-hammering and coatings removal. Equipped with **4-position weight adjustment system** to allow to balance the weight of the machine forward or backward to increase or decrease the working pressure.

Very powerful and heavy machine for working on large areas, with total weight of more than 685 kg. Good choice for professionals.

Improved dust collection: adjustable skirt with a flexible brush for better dust containment. The vacuum hose connection is closer to the dust source and utilizes a metal camlock attachment.

New rear wheel set: this new feature makes grinder transportation and loading easier. It comes installed on all 20/25/30-inch Elite machines, and it is also available as an accessory for previous Elite models.



TECHNICAL DATA			
Power	15 Kw - 20 Hp	Tool connection	Quick Change
Working Width	850 mm	Tool holder diameter	3 x 330 mm / 13"
Voltage	380 - 400 V - 50 Hz	Application	Wet / Dry
Weight	685 Kg	Dust-vacuum	Yes
Amperage	Max 32 Amp	Water Tank capacity	46 Lt
Variable Speed	300 - 1300 rpm	Code	L3213EUB

L32 PRODUCTIVITY RATES* - Sqm/H	
Grinding and Polishing Concrete 7 Step	25 - 30
Floor Preparation 1 Step	100 - 130
Polishing Terrazzo 5 Step	30 - 40
Resin, varnish and coating removal 1 Step	100 - 150
Grinding and Polishing Marble 5 Step	20 - 30
Grinding and Polishing Granite 7 Step	10 - 15

*production rates may vary according to the surface conditions, diamond tools used, equipments, operator, etc.

FLOOR SOLUTION TECHNOLOGY



FLOOR GRINDERS | INDUSTRIAL VACUUMS | DIAMOND TOOLS

Equipments and products for any kind of floor_



Mobile +39 347 4678309
Office +39 085 7880800



www.klinsystem.com



info@klinsystem.com



Via degli Alpini snc
65029 Torre De Passeri
(Pescara) - ITALY