




PHANTOM 501 VS VARIABLE SPEED

Planetary Floor Grinder

PHANTOM 501 VS VARIABLE SPEED



WORKING WIDTH Ø 500mm



QUICK CONNECTION FOR VELCRO PAD HOLDER 17"



OPTIONAL STAINLESS STEEL ADJUSTABLE BELL allows, during the dry working phases, to let the grinding powders flow back: no more clogging while working.



MADE in ITALY

Adjustable integrated weight system


Available with 220V or 380V motor

Ø 250mm wheels

OPTIONAL: stainless steel adjustable bell

KS200 PLANETARY GEAR PLATE

The new PLANETARY GEAR PLATE SYSTEM can withstand heavy duty works for multiple consecutive hours. The removal of the planetary system from the floating head allows in few seconds to transform the machine from a powerful 4HP grinder to a performing 4HP single disc machine. Suitable for grinding and polishing marble, natural stone, granite, terrazzo, concrete and wooden floors. Easy to install, thanks to its quick connection system.



- 3 rotating heads 200 mm / 8" (quick connection) allows to get high planarity and levelling the floor even on bad condition.
- Full Helicoidal steel gear system.

PHANTOM PRODUCTIVITY RATES* - Sqm/H

Grinding and Polishing Concrete 7 Step	10 - 15
Floor Preparation 1 Step	40 - 80
Polishing Terrazzo 5 Step	9 - 15
Resin, varnish and coating removal 1 Step	40 - 60
Grinding and Polishing Marble 5 Step	10 - 15
Grinding and Polishing Granite 7 Step	6 - 10

APPLICATION

- Grinding and polishing marble, concrete, terrazzo and granite floors
- Suitable for floor preparation and coatings removal
- Also suitable for cleaning, maintenance and floor restoration

*production rates may vary according to the surface conditions, diamond tools used, equipments, operator, etc.

PHANTOM 501 equipped with a single-phase 4HP motor with fixed or variable speed (or three-phase motor available upon request) designed to be the first grinding machine in the world to have an **ergonomic handle with rotation system** for dashboard control.

Fixed dashboard which allows the operator to work behind the gear plate and check the work while grinding. **Mobile dashboard** allows the operator to check the work and maintain the stability while grinding small areas, ideal for small-sized areas where the frame may be bulky and not easily manoeuvrable.

Phantom 501 machine is perfect for heavy duty grinding jobs but also for polishing jobs in medium-space industrial areas and in small civil areas.



INTEGRATED ADJUSTABLE WEIGHTS SYSTEM



RUBBER SPLASH GUARD (included) - ROBUST RUBBER TIRES



OPTIONAL: FRONTAL LED LIGHT for monitoring the floor

	PHANTOM 220V - 4Hp	PHANTOM VS 220V - 4Hp	PHANTOM 380V - 4Hp	PHANTOM VS 380V - 4Hp
Max Power	3000 W - 4 Hp	3000 W - 4 Hp	3000 W - 4 Hp	3000 W - 4 Hp
Voltage	230 V / 50-60 Hz	230 V / 50-60 Hz	380 V / 50-60 Hz	380 V / 50-60 Hz
Working width	500 mm / 20"	500 mm / 20"	500 mm / 20"	500 mm / 20"
Tools Diameter	200 mm	200 mm	200 mm	200 mm
Machine rpm	150 rpm	120 - 180 rpm	150 rpm	120 - 180 rpm
Planetary rpm	1000 rpm	800 / 1200 rpm	1000 rpm	800 / 1200 rpm
Weight	187 Kg	199 Kg	187 Kg	199 Kg
Capacity tank	20 lt	20 lt	20 lt	20 lt
Adjustable weight	2 x 6 kg	2 x 6 kg	2 x 6 kg	2 x 6 kg

*Includes: complete planetary gear plate 200/3 (3 heads x 200m), 20Lt water tank and rubber splash guard

FLOOR SOLUTION TECHNOLOGY



FLOOR GRINDERS | INDUSTRIAL VACUUMS | DIAMOND TOOLS

Equipments and products for any kind of floor_



Mobile +39 347 4678309
Office +39 085 7880800



www.klinsystem.com



info@klinsystem.com



Via degli Alpini snc
65029 Torre De Passeri
(Pescara) - ITALY